											[Data Co	mpon	ent Ra	nking Va	lue			Overall	Ranking		
		CASGEM (Groundwater Basir	n Prioritization	Results					-	s			Ground	dwater F	Reliance						
			Sorted by Pr	riority					۔	n Growth	upply Wells	* <u>s</u>	Acreage	*	f ply **	эс		uo	Overall Basin Ranking	Overall Basin	Impact Comments	Other Information Comments
Basin count	Basin Number	Basin Name	Sub-Basin Name	Hydrologic Region	DWR Region	Basin		2010 Population	oulatio	oulation	olic Su	al Wells	gated ,	Use	ercent of otal Supp	SW Relia otal	oacts	ner ormati	Score ***	Priority		
1		SANTA CLARA RIVER VALLEY	OXNARD	South Coast	Office SRO	Acres 58,200	Sq. Mile 90.9		6	B 3	4 Buk	5 0.75	5	8 5	2 Per	<u>5</u> <u>8</u>	<u><u></u> 5</u>	0 Oth	26.8	High	Saline intrusion, nitrates, pesticides, and PCBs have impacted some	
1						·		,													water wells per (B-118).	
2	4-11.04	COASTAL PLAIN OF LOS ANGELES	CENTRAL	South Coast	SRO	180,357	281.8	3,052,303	5	2	5	3.75	0	5	3	4	5	0	24.8	High	Basin was adjudicated in the early 1960's due to overdraft. Several public supply wells are known to be impacted by various water	
3	8-2.03	UPPER SANTA ANA VALLEY	RIVERSIDE- ARLINGTON	South Coast	SRO	58,903	92.0	336,884	4	2	4	3	2	5	4	4.5	5	0	24.5	High	nuality issues. Water quality degradation issues known in several public supply	
4	8-5	SAN JACINTO	ARLINGTON	South Coast	SRO	188,623	294.7	474,317	3	4	2	2.25	3	3	5	4	5	1	24.3	High	Basin is in overdraft (MWD). Groundwater quality issues	Adjudicated Basin
5	2_12	SANTA MARIA		Central Coast	SRO	184,248	287.9	201,759	2	3	4	15	5	5	4	4.5	4	0	24.0	High	documented in DWR B-118. Pumping has increased some contaminant distribution in the basin. Documented overdraft of basin. Water quality degradation due to	
			CUING					,										1			farming practices.	
6	8-2.01	UPPER SANTA ANA VALLEY	CHINO	South Coast	SRO	154,693	241.7	898,653	4	2	4	2.25	3	5	3	4	3	1	23.3	High		Basin is adjudicated. Pub Com, program of controlled overdraft of 400,000 AF from the Chino Basin though 2030 to control the outflow
7	9-5	TEMECULA VALLEY		South Coast	SRO	88,338	138.0	219,431	. 3	5	3	3	2	1	1	1	5	1	23.0	High	reduce from 4 to 3. Groundwater source is impaired in various parts of the basin due to elevated nitrates, fluoride, sulfates, TDS, and VOCs (B-118).	of non-quality rising GW Basin is under Federal adjudication.
8	4-4 07	SANTA CLARA RIVER VALLEY	SANTA CLARA RIVER	South Coast	SRO	66,417	103.8	221,204	3	5	4	2 25	1	4	1	2.5	5	0	22.8	High	GW Quality Impacts: Nitrates, TCE, TDS, and VOCS (B-116).	
9	4-6	PLEASANT VALLEY	VALLEY EAST	South Coast	SRO	21,654		,		3				5	5	5	1	0	22.5		PC - Discharge of poor quality GW from dewatering wells and	
9	4-0	FLEASANI VALLEI		South Coast	31.0	21,034	33.6	09,392	. 3	3		1.5			3	9			22.3	riigii	effluent discharge from the wastewater treatment facility into the Arroyo Simi have led to rising water levels in the basin along with higher TDS and Chloride levels	
10	4-8	LAS POSAS VALLEY		South Coast	SRO	42,353	66.2	39,835	2	2	3	2.25	5	5	5	5	3	0	22.3	High	TDS is generally high in this basin. Pubic Comment includes reports of subsidence, overdraft and saline intrusion (chloride from adiacient basin?)	
11	6-42	UPPER MOJAVE RIVER VALLEY		South Lahontan	SRO	415,295	648.9	355,338	2	5	3	0.75	1	2	4	3	5	2	21.8	High	Overdraft. Water quality impacts in basin including nitrates, inorganics, and fuel additives, etc. Superfund site within basin.	Basin is adjudicated (+1). Irrigated Acreage of zero from DAU isn't correct, add +1
12	4-4.06	SANTA CLARA RIVER VALLEY	PIRU	South Coast	SRO	8,915	13.9	2,666	1	4	3	0.75	5	5	5	5	3	0	21.8	High	GW Quality impacts: nitrates, storm runoff, leaking tanks, etc. (B- 118). High Selenium and other inorganics, average TDS was 1450 mg/l (Ventura co 2011 annual gw report)	
13	6-44	ANTELOPE VALLEY		South Lahontan	SRO	1,014,596	1,585.3	398,864	2	4	2	1.5	1	1	5	3	5	3	21.5	High	Closed basin. Water quality impacts per IRWMP, DWR B-118, and other sources. Extractions likely exceed natural recharge.	Pending Adjudication, water reliability issues, and renewed subsidence
14	4-13	SAN GABRIEL VALLEY		South Coast	SRO	127,278	198.9	1,275,187	5	1	5	2.25	0	5	3	4	3	1	21.3	High	Superfund sites are present within the basin and other areas with water quality impacts are known.	Adjudication (aka Six Basins)
15	8-2.06	UPPER SANTA ANA VALLEY	BUNKER HILL	South Coast	SRO	80,972	126.5	363,394	4	1	5	2.25	2	3	3	3	3	1	21.3	High	The Bunker Hill sub-basin is impacted with PCE and TCE from the Newmark Superfund site and with perchlorate from the Crafton- Redlands plume.	Adjudication (Western San Bernardino)
16	8-4	ELSINORE		South Coast	SRO	25,873	40.4	60,946	3	4	4	2.25	1	2	4	3	3	1	21.3	High	High TDS due to Nitrate and Sulfate in some portions of the basin (Elsinore Gw AdvisoryComm). Some fluoride impacts to groundwater (B-118).	Study done for Elsinore Basin GW Advisory Committee (Nov. 2012) indicates an average annual gw budget deficit of 1,800 af/yr for the last 11 years. Between 1990 and 2000 cumulative deficit was 19,000 af.
17	8-1	COASTAL PLAIN OF ORANGE		South Coast	SRO	223,222	348.8	2,309,966	5	2	4	3.75	0	5	5	5	1	0	20.8	Medium	Saline intrusion issues.	
18	4-11.03	COUNTY COASTAL PLAIN OF LOS ANGELES	WEST COAST	South Coast	SRO	93,795	146.6	1,195,195	5	1	3	3.75	0	3	3	3	5	0	20.8	Medium	Basin in overdraft since 1960's. Adjudicated basin. Saline intrusion problem and a seawater barrier project is in effect to reduce seawater intrusion.	
19 20		RAYMOND UPPER SANTA ANA VALLEY	YUCAIPA	South Coast	SRO SRO	26,310 25,410	41.1 39.7			2	5 4			5	5	5 3.5	3	0	20.8		Water quality impacts and a superfund. Overdraft. Documented impacts of nitrates and sulfates. (B-118)	
				South Coast						1			2				5	0			· · · · · · · · · · · · · · · · · · ·	
21	4-4.05	SANTA CLARA RIVER VALLEY	FILLMORE	South Coast	SRO	20,842	32.6	16,417		2	4	0.75	5	0	0	5	2	0	20.8	Medium	Many groundwater quality impairments in the basin; Nitrates problematic during dry periods; High TDS, etc. (B-118). REH - PubComm indicted WO is localized and being managed	
22	4-4.04	SANTA CLARA RIVER VALLEY	SANTA PAULA	South Coast	SRO	22,899	35.8	46,816	3	1	3	1.5	4	5	5	5	3	0	20.5	Medium	PubComm indicted WO is localized and being managed Nitrates can fluctuate significantly in the basin, and above MCL. Other inorganics present above MCL. TDS is known to be high.	
23	4-12	SAN FERNANDO VALLEY		South Coast	SRO	145,354	227.1	1,745,338	5	3	3	2.25	0	4	1	2.5	3	1	19.8	Medium	Several public supply wells have shown contamination per Bulletin 118.	Basin is adjudicated.
24 25		ARROYO SANTA ROSA VALLEY UPPER SANTA ANA VALLEY	TEMESCAL	South Coast South Coast	SRO SRO	3,747 23,654				0 2	4			5	5 4	5 4.5	3	0	19.8 19.5	Medium Medium	Elevated sulfates, nitrates, and TDS in the basin.(B-118) Groundwater quality impaired by nitrates and inorganics in some	
26		COACHELLA VALLEY	INDIO	Colorado River		299,784				5		0.75		4	3	3.5	2	0	19.3	Medium	wells (B-118). Nitrates and addition of salts due to Colorado River imported water	
27		COASTAL PLAIN OF LOS	SANTA MONICA	South Coast	SRO	31,846		,		3				2	3	2.5	3	0	19.3		Local areas of elevated fluoride. MTBE contamination has led to significant reduction in groundwate	
28	8-2.08	ANGELES UPPER SANTA ANA VALLEY	SAN TIMOTEO	South Coast	SRO	73,541	114.9	54,169	2	5	3	1.5	1	1	4	2.5	3	1	19.0		production and locally high TDS. Locally high nitrates and salinity (B-118). GAMA reported upper	Parts of the subbasin are adjudicated.
					1	-,1		2 1,203													basin water quality issues.	

CA DWR
Run Version 05262014

											Da	a Comp	onent	Ranking V	/alue			Overall	Ranking	I	
		CASGEM G	iroundwater Basii	n Prioritization	Results								Grou	ındwater	Reliance						
			Sorted by P	riority						owth	Wells	age	G.O.	***************************************	T	-		Overall	Overall		
									_	פֿ	<u>></u> *	cre		*	S		=	Basin	Basin	Impact Comments	Other Information Comments
Basin	Basin			Hydrologic	DWR	Basin Aı	rea	2010	ation	ulation	c Supply	ed A	Use **	ent of Suppl	Relian	ts	natio	Ranking Score ***	Priority		
	Number	Basin Name	Sub-Basin Name	Region	Region Office	Acres S	Sq. Mile	opulation	Indo	Indo	ublic	rrigat	NS U	Percei Fotal (GW R Total	трас	Other				
29	9-7	SAN LUIS REY VALLEY		South Coast	SRO	29,865	46.7	43,942	2	1	5 3	3	3	1	2	3	0	19.0	Medium	TDS is a concern according to MWD. B-118 indicates problems with	
																				nitrates, inorganics, radiologicals, and VOCs. Desalination generally required in all areas of the basin.	
30	9-10	SAN PASQUAL VALLEY		South Coast	SRO	4,563	7.1	968	1	0	2 3	4	5	5	5	3	1	19.0	Medium	Nitrate problems are widespread (B-118). TDS is also known to be	LWU data based on DAU does not accurately depict Irrigated
																				high in places. During dry years, the basin has experienced water level declines up to 20 feet in one year per GWMP.	Acreage. 2006 Farmland Mapping Data indicate irrigated acreage is 2,691 and quick GIS estimate by SRO indicates irrigated acreage is a
31	7-21.04	COACHELLA VALLEY	SAN GORGONIO	Colorado River	SRO	38,823	60.7	29,540	2	5	3 0.7	5 1	3	5	4	2	1	18.8	Medium	Basin is in overdraft.	least 2 100 acres Basin is adjudicated.
32	3-16	GOLETA	PASS	Central Coast	SRO	9,229	14.4	47,252	4	1	5 3.7	5 2	3	1	2	0	1	18.8	Medium		Estimated overdraft for the north-central portion of the basin ins
																					estimated at 1,180 af/yr (Santa Barbara Water Conservation Element. 2009)
33	4-2	OJAI VALLEY		South Coast	SRO	6,851	10.7	8,268	2	0	4 1.	5 4	5	5	5	2	0	18.5	Medium	High nitrates and sulfates reported in the basin. Medium to high	
34	8-2.04	JPPER SANTA ANA VALLEY	RIALTO-COLTON	South Coast	SRO	30,224	47.2	145.832	4	1	4 2.2	5 1	3	3	3	3	0	18.3	Medium	levels of nitrates reported in the basin. Extensive perchlorate contamination in basin.	
		JPPER SANTA ANA VALLEY	CUCAMONGA	South Coast	SRO	9,574	15.0	51,001	4		5 0.7	_	5	2	3.5	3	0	18.3	Medium	High nitrates reported in 14 of 24 wells tested (B-118)	
36	4-3.01	VENTURA RIVER VALLEY	UPPER VENTURA RIVER	South Coast	SRO	7,430	11.6	15,961	3	0	5 0.7	5 2	4	5	4.5	3	0	18.3	Medium	TDS is known to be high in some parts of the basin (B-118).	
37	9-4	SANTA MARGARITA VALLEY	NIVER.	South Coast	SRO	7,998	12.5	4,121	2	1	4 2.2	5 1	4	5	4.5	2	1	17.8	Medium	Groundwater in SW part of basin is marginal to inferior for domestic	Basin is federally adjudicated.
																				and agricultural uses (DWR 1967). Mg, SO4, Cl, NO3, and TDS	
																				concentrations are locally high for domestic. Use; Cl, B, and TDS are	
38	9-6	CAHUILLA VALLEY		South Coast	SRO	18,342	28.7	1 993	1	3	3 3	2	2	5	3.5	1	1	17.5	Medium	locally high for aguse (DWR 1975) Locally, sulfates and nitrates are high for domestic use (DWR 1975).	Basin is federally adjudicated
30	30	CATTOLEA VALLET		Journ Coust	3110	10,542	20.7	1,555	_						3.3		-	17.5	Wicalam	Nitrate concentrations reach as much as 128 mg/L (Moyle 1976).	basin'is rederany adjudicated.
39	3-15	SANTA YNEZ RIVER VALLEY		Central Coast	SRO	204,642	319.8	75,460	1	1	3 2.2	5 3	3	5	4	3	0	17.3	Medium	Overdraft has been documented by the county in the past. Also	
							5-2-10			_										some groundwater quality impairments.	
40	4 4 02	SANTA CLARA RIVER VALLEY	MOUND	South Coast	SRO	14,846	23.2	77,886	1	2	1 2.2	5 3	3	5	4	1	0	17.3	Medium	Some primary and secondary inorganic contaminants above the	
40	4-4.03	DANTA CLANA NIVEN VALLET	WOOND	30util Coast	3110	14,840	23.2	77,880	-4	2	1 2.2	3 3	,	3	4	1	Ů	17.3	ivieululli	MCL (B-118).	
41	6-43	EL MIRAGE VALLEY		South Lahontan	SRO	76,292	119.2	10,933	1	4	2 0.7	5 1	1	5	3	4	0	15.8	Medium	Groundwater levels have declined significantly in parts of the basin,	
																				some have recovered. Water is rated marginal to inferior for	
																				domestic and irrigation purposes. (B-118). Some documented VOCs issues also	
42	7-21.02	COACHELLA VALLEY	MISSION CREEK	Colorado River	SRO	48,966	76.5	18,974	1	5	2 0.7	5 0	3	5	4	2	1	15.8	Medium	Radiological and nitrate issues in the basin (B-118).	Mission Creek GW also supplies drinking water to Desert Hot
43	9-15	SAN DIEGO RIVER VALLEY		South Coast	SRO	9,944	15.5	45,800	4	1	3 3.7	5 1	3	1	2	1	0	15.8	Medium	High Nitrates, Iron and Manganese treatment is required, high TDS	Springs and part of Indio subbasins
				30util Coast	3110	,		,								1	U	15.6	ivieululli	(>3,000 mg/l) in western portion of basin	
44	6-40	OWER MOJAVE RIVER VALLEY		South Lahontan	SRO	287,563	449.3	32,938	1	1	2 0.7	5 1	2	5	3.5	5	1	15.3	Medium	Groundwater basin has been in overdraft. Water quality has been	Basin is adjudicated. USGS reports GW Level declines of 100 ft since
																				impaired from natural sources, leaking tanks, and superfund sites	the 1930s
45	7-24	BORREGO VALLEY		Colorado River	SRO	153,978	240.6	3,853	1	0	2 0.7	5 1	2	5	3.5	5	2	15.3	Medium	from military bases. Overdraft conditions over 60 years. Some wells have been	Most demand for basin is concentrated in north in a small area.
						·														abandoned or destroyed due to high nitrates.	
46	7-12	WARREN VALLEY		Colorado River	SRO	23,952	37.4	22,860	2	5	4 0.7	5 0	2	3	2.5	0	1	15.3	Medium		Basin is adjudicated.
47	3-14	SAN ANTONIO CREEK VALLEY		Central Coast	SRO	81,941	128.0	2,279	1	0	1 1.	5 2	2	5	3.5	4	2	15.0	Medium	Overdraft, water quality degradation	Santa Barbara Water Element, Table 1, p.10, indicates San Antonio basin overdraft by ~ 9,000 af/yr
48	6-54	NDIAN WELLS VALLEY		South Lahontan	SRO	383,492	599.2	34,837	1	4	1 0.7	5 0	1	5	3	5	0	14.8	Medium	Overdraft has been documented since the 1960's. Water quality	Sectional Street
																				issues with respect to overdraft and mixing of aquifers.	
		BEAR VALLEY		South Coast	SRO	19,667	30.7	16,866	2				2	3	2.5	1	0	14.5	Medium	Fluoride problems in some wells (B-118).	
50	6-12	OWENS VALLEY		South Lahontan	SRO	663,458	1,036.7	17,664	1	0	1 0.7	5 1	2	4	3	2	5	13.8	Medium	Minor impairments locally due to inorganics.	Actual GW Volume not fully captured due to gw exports out of the
																					basin resulting in limited irrigated acres and domestic development GW volume reflects the additional pumping that is exported
E1	2 12			Control C	CDC	242 444	270.2	1 220	_	0	1 0-	E 2	-	-	4	2	2	12.0	Madi	Local calinity and TDS impairments in basis /D 440)	
51	3-13	CUYAMA VALLEY		Central Coast	SRO	242,114	378.3	1,236	0	U	1 0.7	5 2	3	5	4	3	3	13.8	Medium	Local salinity and TDS impairments in basin (B-118)	Declining Groundwater levels of 150-300' over the last 40-50 years (DWR, 1998). Conservation Assessment by TNC (2009) indicates
																					(DWR, 1998). Conservation Assessment by TNC (2009) indicates annual gw budget deficit of ~ 28.500 af
52	9-1	SAN JUAN VALLEY		South Coast	SRO	16,797	26.2	61,131	3	1	3 2.2	5 0	3	1	2	2	0	13.3	Low	TDS is generally high, springs with high fluorine, local pesticide	ZO.JOO di
																				contamination, and secondary inorganic contamination (B-118).	
53	4-9	SIMI VALLEY		South Coast	SRO	12,192	19.0	98,625	5	1	2 0.7	5 1	2	3	2.5	1	0	13.3	Low	Desalters used to treat water. VOCs, elevated TDS, and nitrates (B-118)	
54		CONEJO		South Coast	SRO	18,848	29.4	96,704	-		1 1.		2	3	2.5	1		13.0	Low	Locally high TDS in basin and one well with nitrate levels above MCL (B-118).
55	7-38	PALO VERDE VALLEY		Colorado River	SRO	74,004	115.6	7,459	1	4	2 0.7	5 5	1	1	1	1	-2	12.8	Low	Some elevated TDS in groundwater makes water unsuitable for	Irrigated acres is almost all surface water. Reduce ranking somewhat
	1-30	ALO VENDE VALLET	1	COIDI ado NIVEI	2110	74,004	113.0	7,439		4	∠ U./	J 3	1 1	1 1	1 I	1 L		14.0	LOW	Dome cievated 103 in groundwater makes water unsuitable for	pringuica acres is annost an surrace water. Neutice ranking somewhat

2 CA DWR Run Version 05262014

											Da	ta Com	ponent	Ranking	g Value			I	Overall	Ranking		
		CASGEM G	Groundwater Basi	n Prioritization	Results					ح ا	S		Gro	undwat	er Relian	ce						
			Sorted by P	Priority						rowth	Wells	age	-	*					Overall	Overall	Impact Comments	Other Information Comments
-					DIAID	Dania A			e O	ion Gr	c Supply		*	of	ance			tion	Basin Ranking	Basin Priority	impact comments	Other information comments
Basin count	Basin Number	Basin Name	Sub-Basin Name	Hydrologic Region	DWR Region	Basin A	—	2010 Population	pulati	=======================================	ublic St	gated	/ Use	Percent of	/ Relii	<u></u>	pacts	orma	Score ***	Filolity		
		COACHELLA VALLEY	DESERT HOT		Office SRO		oq. m.	22,568	<u>P</u>	۵	<u> </u>		8		2.5		_	<u>= 6</u>	12.3	Low	High TDS and declining water levels have been documented for a	
56			SPRINGS	Colorado River		101,862	159.2						0	5			1	0		Low	long period of time in the Desert Hot Springs Subbasin.	
57	6-41	MIDDLE MOJAVE RIVER VALLEY		South Lahontan	SRO	212,595	332.2	6,654	1	0	1 0.	75 1	2	5	3.5		3	1	11.3	Low	Groundwater Quality impairments for VOCs, salts, nitrates, and irrigation effluents. Waste water treatment plant have also affected	Basin is adjudicated.
																					groundwater quality. Some nitrates and fluoride exceed MCL.	
58	4-17	LOCKWOOD VALLEY		South Coast	SRO	21,841	34.1	241	. 1	0	1 0.	75 0	2	5	3.5	,	5	0	11.3	Low	Boron, arsenic, and radioactive uranium in some wells (B-118).	
59	7-5	CHUCKWALLA VALLEY		Colorado River	SRO	608,995	951.6	7,853	1	0	1 0.	75 1	0	4	2		3	2	10.8	Low	Sulfate, chloride, fluoride, and TDS concentrations are high for domestic use (DWR 1975). High of boron and TDS concentrations,	Significant growth in industry (solar), and others. Prison is also a significant user the the GW resources.
																					and high sodium percentage impair groundwater for irrigation use	Significant user the title GW resources.
60	6-46	FREMONT VALLEY		South Lahontan	SRO	336,682	526.1	16,883	1	0	1 0.	75 0	1	5	3		5	0	10.8	Low	(DWR 1975) Basin has naturally high TDS locally and other constituents.	
																					Groundwater levels have shown significant decline throughout the basin.	
61	6-47	HARPER VALLEY		South Lahontan	SRO	411,827	643.5	1,634	0	0	1 0.	75 1	1	1	1		5	1	9.8	Low	Extensive chromium issues well known in Hinkley. In addition, water quality of the basin is generally marginal to inferior for irrigation and	1 -
																					domestic uses because of high concentrations of boron, fluoride,	
62	7-19	LUCERNE VALLEY		Colorado River	SRO	148,467	232.0	3,311	. 1	0	1 0.	75 1	1	1	1		4	1	9.8	Low	Water level declines noted from 40 to 100 feet. Evidence of subsidence from overdraft of basin. Locally high nitrates and TDS (B-	Fall 1954 - Fall 2002 Change in GW Storage is estimated at - 460TAF (
63	7-39	PALO VERDE MESA		Colorado River	SRO	228,010	356.3	9,231	1	0	1 0.	75 3	0	1	0.5		3	0	9.3	Low	118). Arsenic, selenium, fluoride, chloride, boron, sulfate, and TDS	1
64		TWENTYNINE PALMS VALLEY		Colorado River	SRO	62,829	98.2	22,113			0 0.		1	5	3		1	0	8.8	Low	concentrations are high (DWR 1975). Some wells in the basin exceed the recommended levels for drinking water	
04	7-10	TWENT THINE PALING VALLET		Colorado Nivel	31.0	02,829	36.2	22,113		2	0 0.						1	U	6.6	LOW	in fluoride, TDS, and sulfate concentrations. Thermal waters also occur in this basin (DWR 1984).	
65	7-8	BRISTOL VALLEY		Colorado River	SRO	501,834	784.1	27	0	0	1 0.	75 1	0	5	2.5	;	3	0	8.3	Low	Fluoride content in some wells exceeds the recommended MCL leve	
																					(C-118). TDS content is extremely high in some wells near Bristol Lake (DWR 1967).	
66	7-44	NEEDLES VALLEY		Colorado River	SRO	89,101	139.2	4,902	1	0	2 0.	75 1	0	1	0.5	,	3	0	8.3	Low	Concentrations of sulfate, chloride, fluoride, and TDS content levels are high in the basin (DWR 1975).	
67	7-25	OCOTILLO-CLARK VALLEY		Colorado River	SRO	224,416	350.6	27	0	0	1 0.	75 2	0	1	0.5	;	3	0	7.3	Low	High TDS, sulfate, chloride, and fluoride concentrations locally impair groundwater for domestic and irrigation use.	
68	6-14	FISH LAKE VALLEY		South Lahontan	SRO	48,333	75.5	36	0	0	0 0.	75 2	3	5	4		0	0	6.8	Low		
69	7-30	IMPERIAL VALLEY		Colorado River	SRO	969,017	1,514.1	164,037	1	4	1 0.	75 5	0	0	0		0	0	0.0	Very Low		
70	6-18	DEATH VALLEY		South Lahontan	SRO	926,496	1,447.7	190	0	0	1 0.	75 1	0	5	0		0	0	0.0	Very Low		
71	7-3	WARD VALLEY		Colorado River	SRO	564,569	882.1	22	0	0	0 0.	75 0	0	5	0		0	0	0.0	Very Low		
72	7-2	FENNER VALLEY		Colorado River	SRO	457,633	715.1	31	. 0	0	1 0.	75 0	0	5	0		0	0	0.0	Very Low		
73	6-20	MIDDLE AMARGOSA VALLEY		South Lahontan	SRO	392,862	613.8	230	0	0	1 0.	75 0	0	5	0		4	0	0.0	Very Low	Water quality is rated inferior to marginal for domestic purposes	
																					due to elevated fluoride and boron contents; however, locally	
74	6-33	SODA LAKE VALLEY		South Lahontan	SRO	383,560	599.3	750	0	0	1 0.	75 0	0	5	0		5	0	0.0	Very Low	Groundwater quality is rated marginal to inferior for both domestic and irrigation purposes. This assessment is based on 66 analyses	
																					showing elevated concentrations of fluoride, boron, and TDS. Geotracker shows many LUST sites	
75	7-43	CHEMEHUEVI VALLEY		Colorado River	SRO	275,713	430.8	395	0	0	0 0.	75 0	0	5	0		3	0	0.0	Very Low	GPOTTACKET SNOWS MANY TITS I SITES Concentrations of sulfate, chloride, fluoride, and TDS are high (DWR 1975).	
76	7-7	CADIZ VALLEY		Colorado River	SRO	272,931	426.5	10	0	0	0 0.	75 0	0	5	0	\top	0	0	0.0	Very Low		
77	6-58	PANAMINT VALLEY		South Lahontan	SRO	260,754	407.4	7	0	0	1 0.	75 0	0	5	0	+	4	0	0.0	Very Low	Water from most wells located on the valley floor is ranked inferior	
																					for domestic use and marginal to inferior for irrigation purposes.	
78	7-37	ARROYO SECO VALLEY		Colorado River	SRO	259,806	405.9	6	0			75 0	0	5	0		0	0	0.0	Very Low		
79	6-31	KELSO VALLEY		South Lahontan	SRO	257,279	402.0	20	0	0	0 0.	75 0	0	5	0		0	0	0.0	Very Low		
80	6-21	LOWER KINGSTON VALLEY		South Lahontan	SRO	241,892	378.0	0	0	0	0 (0	0	0	0		5	0	0.0	Very Low	Groundwater is inferior for domestic or irrigation purposes due to elevated fluoride, chloride, boron, sulfate and TDS (B-118)	
81	7-9	DALE VALLEY		Colorado River	SRO	214,650	335.4	1,197	0	0	1 0.	75 1	0	5	0	\top	5	0	0.0	Very Low	Groundwater quality in basin is generally unsuitable for domestic and	
																					agricultural uses (DWR 1979). TDS and F concentrations impair for domestic use, and B and Na concentrations impair agricultural use in basin (DWR	
																					1979). USGS data shows declining water	

3 CA DWR Run Version 05262014

											Da	ta Com	ponent	Ranking	Value			Overa	II Ranking		
		CASGEM G	Groundwater Basi	in Prioritization	Results					_	s		Gro	undwate	er Reliance	•					
			Sorted by P	Priority						owth	Wells	a Se		*				Overall	Overall		
			T	1					Ę	ō	Supply *		*	* >la	uce		1	Basin Ranking	Basin	Impact Comments	Other Information Comments
Basin	Basin	Basin Name	Sub-Basin Name	Hydrologic	DWR Region	Basin A		2010	ulation	Population	lic Supp	ated	Use	Percent of Total Supply	. Relia	acts	ä	Score ***	Priority		
count	Number			Region	Office		3q. iville	opulation	Рор		Public Total 1		<u>8</u>	Perc	GW R Total	g d d					
82 83		CARRIZO PLAIN IVANPAH VALLEY		Central Coast South Lahontan	SRO SRO	210,896 200,155	329.5 312.7	440 40	0		1 0.7			5	0	0		0.0	Very Low Very Low	Basin groundwater is rated marginal to inferior for both domestic	
03	0 50			Journ Landinean	3.10	200,233	312.7												70.72011	and irrigational use because of elevated fluoride and sodium.(B-118)	
84	6-52	SEARLES VALLEY		South Lahontan	SRO	198,115	309.6	1,651	0	0	0 0.7	75 0	0	5	0	5	0	0.0	Very Low	Water locally beneficial in the north, but generally unsuitable for	
																				beneficial uses due to high concentrations of fluoride, boron, sodium, chloride, sulfate, and TDS. Water levels have declined due	
85	7-33	EAST SALTON SEA		Colorado River	SRO	197,043	307.9	1,093	0	0	0 0.7	75 2	0	0	0	0	0	0.0	Very Low	to numning for evanorates	
86	7-4	RICE VALLEY		Colorado River	SRO	190,622	297.8	23	0	0	0 0.7	75 0	0	5	0	0	0	0.0	Very Low		
87	7-6	PINTO VALLEY		Colorado River	SRO	184,377	288.1	7	0		1 0.7		0	0	0	0		0.0	Very Low		
								,											· ·		
88		UPPER KINGSTON VALLEY		South Lahontan	SRO	178,533	279.0	3/	0		1 0.7			5	0	4		0.0	Very Low	Groundwater is marginal to inferior for domestic or irrigation purposes due to elevated fluoride and TDS (B-118).	
89		PIUTE VALLEY		Colorado River	SRO	177,319	277.1	2	0	0	0 0.7		0		0	0	0	0.0	Very Low		
90	6-9	MONO VALLEY		South Lahontan	SRO	173,299	270.8	385	0	0	1 0.7	75 0	0	5	0	0	0	0.0	Very Low		
91	7-1	LANFAIR VALLEY		Colorado River	SRO	158,360	247.4	19	0	0	0 0.7	75 0	0	5	0	0	0	0.0	Very Low		
92	7-29	COYOTE WELLS VALLEY		Colorado River	SRO	147,088	229.8	374	0	0	1 0.7	75 0	0	5	0	4	0	0.0	Very Low	Basin is in overdraft (B-118). There are local fluoride issues and elevated TDS in some of the shallower wells in the basin.	
93	6-17	SALINE VALLEY		South Lahontan	SRO	146,850	229.5	0	0	0	0 0	0	0	0	0	5	0	0.0	Very Low	GW Quality Impairments: High TDS and Fluorides, groundwater is inferior for domestic use. (B-118)	
94	7-42	VIDAL VALLEY		Colorado River	SRO	139,577	218.1	10	0	0	1 0.7	75 0	0	5	0	4	0	0.0	Very Low	Fluoride, chloride, sulfate, and TDS concentrations are high (DWR 1975). GW near town of Vidal has fluoride concentrations making water unusable	
																				domestically and sodium contents make water marginal for irrigation.	
95	6-51	PILOT KNOB VALLEY		South Lahontan	SRO	139,460	217.9	0	0	0	1 0.7	75 0	0	0	0	0	0	0.0	Very Low		
96	7-35	OGILBY VALLEY		Colorado River	SRO	135,017	211.0	36	0	0	1 0) 1	0	1	0	0	0	0.0	Very Low		
97	7-34	AMOS VALLEY		Colorado River	SRO	131,584	205.6	9	0	0	1 0	0	0	0	0	0	0	0.0	Very Low		
98	7-32	CHOCOLATE VALLEY		Colorado River	SRO	130,507	203.9	658	0	0	0 0.7	75 0	0	0	0	4	0	0.0	Very Low	Groundwater quality impairment due to elevated levels of fluoride,	
																				boron, and TDS (B-118). Elevated fluoride levels were found in nearly all mineral analyses of groundwater.	
99	6-16	EUREKA VALLEY		South Lahontan	SRO	129,329	202.1	10	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
100	6-35	CRONISE VALLEY		South Lahontan	SRO	127,313	198.9	2	0	0	0 0.7	75 0	0	0	0	0	0	0.0	Very Low		
101	7-36	YUMA VALLEY		Colorado River	SRO	125,741	196.5	3,146	1	0	1 0.7	75 3	0	0	0	0	0	0.0	Very Low		
102	7-28	VALLECITO-CARRIZO VALLEY		Colorado River	SRO	122,943	192.1	77	0	0	1 0.7	75 0	0	5	0	3	0	0.0	Very Low	Groundwater quality is marginal for domestic use because of	
103	6-49	SUPERIOR VALLEY		South Lahontan	SRO	121,084	189.2	0	0	0	1 0.7	75 0	0	0	0	0	0	0.0	Very Low	elevated levels of fluoride and mineral content.	
104	7-16	AMES VALLEY		Colorado River	SRO	109,340	170.8	4,540	1	0	1 0.7	75 0	0	5	0	2	0	0.0	Very Low	Groundwater in the basin has locally high TDS, fluoride, and chloride	
																				contents (DWR 1975). TDS content reaches about 1,000 mg/L southwest of Emerson Lake (MWA 1999).	
105	7-22	WEST SALTON SEA		Colorado River	SRO	106,408	166.3	5,352	1	0	0 0.7	75 0	0	5	0	3	0	0.0	Very Low	Groundwater is marginal to poor for domestic and irrigation use because of elevated fluoride, boron, and TDS.	
106	7-14	LAVIC VALLEY		Colorado River	SRO	103,132	161.1	0	0	0	0 0.7	75 0	0	0	0	0	0	0.0	Very Low		
107	7-31	OROCOPIA VALLEY		Colorado River	SRO	97,214	151.9	2,243	1	0	0 0.7	75 0	3	5	2.5	1	0	0.0	Very Low	Some natural occurrences of elements or compounds that exceed drinking water standards.	
108	6-24	RED PASS VALLEY		South Lahontan	SRO	97,088	151.7	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low	urmanig water standards.	
109	6-50	CUDDEBACK VALLEY		South Lahontan	SRO	95,418	149.1	97	0	0	0 0) 0	0	5	0	3	0	0.0	Very Low	Groundwater quality is ranked marginal to inferior for most	
																				beneficial uses due to elevated concentrations of chloride and TDS.	
110	6-28	PAHRUMP VALLEY		South Lahontan	SRO	93,747	146.5	99	0	0	0 0.7	75 0	2	5	0	2	0	0.0	Very Low	Water levels generally declining per B-118 and USGS NWIS. State of Nevada Department of Water Resources has documented overdraft	
																				and subsidence conditions in this basin (http://water.nv.gov/documents/presentations/pahru mp.pdf)	
111	6-32	BROADWELL VALLEY		South Lahontan	SRO	92,688	144.8	Q	0	0	1 0	75 n	0	5	0	0	0	0.0	Very Low	(map,), water in e. gov, documents/presentations/paint inp.pun)	
	5 52			South Euronitali	51.0	52,000	244.0	0	Ŭ	Ĭ		ا ا	Ŭ			L		1	. Ci y LOW		

							Dat	a Com	onent	Ranking '	/alue			Overall	Ranking	1					
		CASGEM (Groundwater Basi	n Prioritization	n Results					_	S		Gro	undwate	Reliance					1	
			Sorted by P	Priority						owth	Wells	age		*				Overall	Overall		
					1	ı			u	σ	<u>></u> *	Acre	*	* hd	nce		5	Basin Ranking	Basin	Impact Comments	Other Information Comments
Basin	Basin	Basin Name	Sub-Basin Name	Hydrologic	DWR Region	Basin A		2010	ulation	opulation	0 -	ated	Use	Percent of Total Supply	Relia	acts	er	Score ***	Priority		
count	Number			Region	Office	Acres	Sq. Mile Po	opulation	Рор	Рор	Public Total \	Irrig	MD	Perc	GW Tota	dwl	Oth				
112	6-25	BICYCLE VALLEY		South Lahontan	SRO	90,100	140.8	0	0	0	1 0.7	5 0	0	0	0	3	0	0.0	Very Low	Elevated TDS and fluoride (B-118).	
113	7-13.01	DEADMAN VALLEY	DEADMAN LAKE	Colorado River	SRO	89,793	140.3	22	0	0	0 0.7	5 0	0	5	0	0	0	0.0	Very Low		
114	6-29	MESQUITE VALLEY		South Lahontan	SRO	89,012	139.1	64	0	0	0 0.7	5 1	1	1	0	3	0	0.0	Very Low	Declining water levels. Locally high TDS in southern portion of basin makes GW marginal to inferior for domestic uses. (B-118)	
115	6.27	COYOTE LAKE VALLEY		Courth Laborator	SRO	88,735	138.6	00	0	0	0 0.7	5 0	0	5	0	4	0	0.0	Vondlaw	Groundwater quality is rated as inferior to marginal for both	
115	0-37	COTOTE LAKE VALLEY		South Lahontan	3KU	88,733	138.0	99	U	U	0 0.7		U	5		4	0	0.0	Very Low	domestic and irrigation purposes because of elevated levels of	
116	6-23	RIGGS VALLEY		South Lahontan	SRO	88,274	137.9	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low	fluoride. boron. sodium. and TDS. (B-118).	
117	7-41	CALZONA VALLEY		Colorado River	SRO	81,708	127.7	1,608	1	0	0 0.7	5 0	0	5	0	0	0	0.0	Very Low		
118	7-18.01	JOHNSON VALLEY	SOGGY LAKE	Colorado River	SRO	77,865	121.7	354	0	0	1 0.7	5 0	0	5	0	0	0	0.0	Very Low		
119		CAVES CANYON VALLEY		South Lahontan	SRO	73,542	114.9	88	0	0	1 0.7	5 0	0	0	0	3	0	0.0	Very Low	Suitability of groundwater quality is rated inferior for irrigation and	
																			,	suitable to inferior for domestic use (DWR 1964). Historical	
																				measurements show TDS content ranging from 622 to 1,272 mg/L with an average of 904 mg/L (DWR 1964).	
120	6-11	LONG VALLEY		South Lahontan	SRO	72,028	112.5	800	1	0	2 0.7	5 2	2	1	0	1	0	0.0	Very Low	Local impairments from thermal waters and some springs with high	
																				TDS, fluoride, boron, and other elements, but water quality suitable overall.	
121	6-19	WINGATE VALLEY		South Lahontan	SRO	71,755	112.1	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
122	6-27	LEACH VALLEY		South Lahontan	SRO	61,620	96.3	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
123	6-84	GREENWATER VALLEY		South Lahontan	SRO	60,260	94.2	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
124	6-79	CALIFORNIA VALLEY		South Lahontan	SRO	58,639	91.6	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
125	6-57	DARWIN VALLEY		South Lahontan	SRO	44,386	69.4	39	0	0	0 0.7	5 0	0	5	0	0	0	0.0	Very Low		
126	6-56	ROSE VALLEY		South Lahontan	SRO	42,709	66.7	10	0	0	1 0.7	5 0	1	5	0	0	0	0.0	Very Low		
127	6-10	ADOBE LAKE VALLEY	1	South Lahontan	SRO	39,978	62.5	4	0	0	0 0.7	5 0	0	5	0	0	0	0.0	Very Low		
128	7-15	BESSEMER VALLEY		Colorado River	SRO	39,379	61.5	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low		
129	6-34	SILVER LAKE VALLEY		South Lahontan	SRO	35,519	55.5	0	0	0	0 0.7	5 0	0	0	0	4	0	0.0	Very Low	Groundwater in this basin is rated marginal to inferior for both	
																				domestic and irrigation uses because of elevated concentrations of fluoride, boron, and TDS. (B-118)	
130	7-18.02	JOHNSON VALLEY	UPPER JOHNSON VALLEY	Colorado River	SRO	35,050	54.8	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low	internacionali di di Popi de Pari	
131	6-13	BLACK SPRINGS VALLEY	77 EEE 1	South Lahontan	SRO	30,911	48.3	0	0	0	0 0.7	5 0	0	0	0	0	0	0.0	Very Low		
132	7-11	COPPER MOUNTAIN VALLEY		Colorado River	SRO	30,540	47.7	6,085	1	5	1 0.7	5 1	1	3	0	1	0	0.0	Very Low	Locally high TDS and septic tank problems.	
133	6-15	DEEP SPRINGS VALLEY		South Lahontan	SRO	30,048	47.0	5	0	0	1 0.7	5 1	1	5	0	0	0	0.0	Very Low		
134	6-53	SALT WELLS VALLEY		South Lahontan	SRO	29,629	46.3	0	0	0	0 0.7	5 0	0	0	0	5	0	0.0	Very Low	The groundwater is rated inferior for all beneficial uses because of high TDS	
																				content that ranges from about 4,000 mg/L to 39,000 mg/L. Other impairments are elevated concentrations of sodium, chloride, and boron	
135	7-13.02	DEADMAN VALLEY	SURPRISE SPRING	Colorado River	SRO	29,507	46.1	179	0	0	2 0	0	0	5	0	0	0	0.0	Very Low	(DWR 1964).	
136	6-48	GOLDSTONE VALLEY		South Lahontan	SRO	28,287	44.2	0	0	0	0 0.7	5 0	0	0	0	3	0	0.0	Very Low	Groundwater quality in the basin is rated as inferior for irrigation	
																				purposes and marginal for domestic use because of elevated concentrations of chloride, fluoride, and TDS.	
137	6-26	AVAWATZ VALLEY		South Lahontan	SRO	27,826	43.5	0	0	0	0 0	0	0	0	0	0	0	0.0	Very Low	THE THE PARTY OF T	
138	7-62	JOSHUA TREE		Colorado River	SRO	27,422	42.8	4,951	1	5	3 0.7	5 0	0	5	0	1	0	0.0	Very Low	Fluoride concentration in water from some wells has reached 9.0 mg/L,	
120	6.55	COSO VALLEY		Couth Laborter	CDO	25 694	40.1		0		0 0	0		0		0	-	0.0	Vordage	exceeding recommended maximum concentration levels of $1.4\ mg/L$ (B- 118 , DWR 1984).	
139		COSO VALLEY		South Lahontan		25,684	40.1	0	0		0 0			0	0	0	0	0.0	Very Low		
140	7-40	QUIEN SABE POINT VALLEY		Colorado River	SRO	25,489	39.8	112	0	0	0 0	1	0	1	0	0	0	0.0	Very Low		

1											D	ita Con	iponem	. Ivalikilig	Value			Overa	all Ranking		
		CASGEM (Groundwater Basi	n Prioritization	Results					_	S		Gro	undwat	er Relian	ce					
l			Sorted by P	riority						owth	Wells	98	<u></u>	*				Overall	Overall		
	ı		T						Ę	on Gr	Supply		*	- ×	i e			Basin Ranking	Basin	Impact Comments	Other Information Comments
	Basin	Basin Name	Sub-Basin Name	Hydrologic	DWR Region	Basin A		2010	ulation	ulation		wells	; I š	Percent of	Relia	acts	e	Score **	Priority		
count N	lumber			Region	Office	Acres 5	Sq. Mile	opulation	Рор	Рор	Public	l otal	å	Perc	Ŋ.		oth	ınfo			
141	6-74	HARRISBURG FLATS		South Lahontan	SRO	25,077	39.2	1	0	0	0	0 0	0	5	0	0	C	0.0	Very Low		
142	9-8	WARNER VALLEY		South Coast	SRO	24,150	37.7	185	0	0	4 0.	75 C	0	0	0	1	C	0.0	Very Low	Groundwater generally suitable except for elevated fluoride contents near hot springs	
143	6-45	TEHACHAPI VALLEY EAST		South Lahontan	SRO	24,055	37.6	480	1	0	2 2.	25 1	. 0	3	0	5	C	0.0	Very Low	Court adjudicated basin in overdraft. Groundwater quality issues.	
144	7-27	SAN FELIPE VALLEY		Colorado River	SRO	23,573	36.8	188	0	0	1 1	.5 1	. 1	1	0	3	C	0.0	Very Low	Significant groundwater declines documented in the late 1950s through early 1970s (B-118)	
145	6-71	LOST LAKE VALLEY		South Lahontan	SRO	23,414	36.6	0	0	0	0	D C	0	0	0	0	C	0.0	Very Low	early 12703 (0-110)	
		UPPER SANTA ANA VALLEY	CAJON	South Coast	SRO	23,306	36.4	520	1	0	1 0.		. 5	1	0.5	_	_		Very Low		
147		OWL LAKE VALLEY		South Lahontan	SRO	22,402	35.0	0	0	0	0	0 0	0	0	0	0	C	0.0	Very Low		
		BROWN MOUNTAIN VALLEY		South Lahontan	SRO	21,862	34.2	0	0	0		0 0	0	0	0	0	C	0.0	Very Low		
149	6-66	LEE FLAT		South Lahontan	SRO	20,380	31.8	0	0	0	0 0.	75 C	0	0	0	0	C	0.0	Very Low		
150 6	-36.01	LANGFORD VALLEY	LANGFORD WELL	South Lahontan	SRO	19,457	30.4	0	0	0	1	0 0	0	0	0	0	C	0.0	Very Low		
151	6-63	HIDDEN VALLEY	LAKE	South Lahontan	SRO	18,037	28.2	0	0	0	0	0 0	0	0	0	0	C	0.0	Very Low		
152	7-51	LOST HORSE VALLEY		Colorado River	SRO	17,455	27.3	0	0	0	0 0.	75 C	0	0	0	0	C	0.0	Very Low	1	
153	6-68	SANTA ROSA FLAT		South Lahontan	SRO	16,861	26.3	0	0	0	0	0 0	0	0	0	0	C	0.0	Very Low		
		HEMET LAKE VALLEY		South Coast	SRO	16,811	26.3	464	1		3 0.		_	1	0	2		0.0	Very Low	Locally high nitrates and TDS.(B-118)	
155	6-86	RHODES HILL AREA		South Lahontan	SRO	15,697	24.5	0	0	0	0	0 0	0	0	0	0	C	0.0	Very Low		
156	7-56	YAQUI WELL AREA		Colorado River	SRO	15,098	23.6	4	0	0	1 0.	75 C	1	5	0	0	C	0.0	Very Low		
157	7-17	MEANS VALLEY		Colorado River	SRO	15,061	23.5	46	0	0	0	0 0	0	5	0	2	C	0.0	Very Low	Fluoride, nitrate, and TDS concentrations are impairments locally.	
		BIG MEADOWS VALLEY RACE TRACK VALLEY		South Coast	SRO SRO	14,263 14,184	22.3 22.2	51	0		4 0. 0	75 C		_	0				Very Low		
				South Lahontan		·		45.50											Very Low		
		SANTA MARIA VALLEY HEXIE MOUNTAIN AREA		South Coast Colorado River	SRO SRO	12,379 11,236	19.3 17.6	16,695 0	0	0	0 3.	75 2 0 0	_	0	0	0		0.0	Very Low Very Low		
162	6-69	KELSO LANDER VALLEY		South Lahontan	SRO	11,208	17.5	0	0	0	0 0.	75 C	0	0	0	0	C	0.0	Very Low		
163 6·	-36.02	LANGFORD VALLEY	IRWIN	South Lahontan	SRO	10,557	16.5	8,845	2	5	1 1	.5 0	0	0	0	3	C	0.0	Very Low	Locally high iron and fluoride concentrations.(B-118)	
164	6-64	MARBLE CANYON AREA		South Lahontan	SRO	10,422	16.3	0	0	0	0	D C	0	0	0	0	C	0.0	Very Low		
165 4	-11.02	COASTAL PLAIN OF LOS	HOLLYWOOD	South Coast	SRO	10,108	15.8	250,649	5		3 3.	75 C) 2	3	0	1	0	0.0	Very Low	MWD lists some TDS and VOC water quality issues.	
		ANGELES GRASS VALLEY		South Lahontan		10,034	15.7	11,073	0			0 0			0				Very Low	' '	
		PLEASANT VALLEY			SRO	9,733	15.2		0		0				0	0					
				Colorado River		·		-											Very Low		
		CAMEO AREA		South Lahontan		9,349	14.6	0	0			0 0			0				Very Low		
		BUTTE VALLEY		South Lahontan		8,853	13.8	0	0		0		0	0	0	0	C		Very Low		
170	4-5	ACTON VALLEY		South Coast	SRO	8,300	13.0	2,280	1	4	5	3 0	2	2	0	1	C	0.0	Very Low	Locally high concentrations of TDS, sulfate, and chloride and two wells in the basin with known concentrations of nitrates exceeding	
171	3-18	CARPINTERIA		Central Coast	SRO	8,140	12.7	14.561	3	0	4 2.	25 5	2	1	0	0	C	0.0	Very Low	MCL (B-118).	
		TERWILLIGER VALLEY		Colorado River		8,081	12.6		1		1				0		_		Very Low	Locally elevated nitrates (B-118).	
173	6-90	CADY FAULT AREA		South Lahontan	SRO	8,015	12.5	6	0	0	0	0 0	0	0	0	0	C	0.0	Very Low		
174	9-19	ANAUL AIT		South Coast	SRO	7,448	11.6	50,694	5	1	0 2.	25 2	0	1	0	5	C	0.0	Very Low	Chloride and sulfate exceed MCL in some wells(Izbicki 1985). MCL for aluminum, barium, lead, selenium, and silver concentrations are exceeded individually in some wells (Dudek 1994).	
		MISSION VALLEY		South Coast	SRO	7,387	11.5	37,066						_	0				Very Low		
		BIG SPRING AREA DENNING SPRING VALLEY		Central Coast South Lahontan	SRO SRO	7,332 7,289	11.5 11.4	<u> </u>	0	0		D 3			0				Very Low Very Low		+

											Da	ata Cor	mpone	nt Ranl	king Va	alue			Overall	Ranking		
		CASGEM (Groundwater Basi	n Prioritization	n Results								G	roundy	water R	Reliance					1	
			Sorted by P							wth	Wells		eg	- I		· · · · · · · · · · · · · · · · · · ·			Overall	0		
										ō	<u>></u> ,	*	crea		* <u>></u>	9		ے	Basin	Overall Basin	Impact Comments	Other Information Comments
Basin	Basin			Hydrologic	DWR	Basin Aı	rea	2010	ation	ation	Supply	Wells	ed A	* 3e	t ot Supp	elian	ts	atio	Ranking Score ***	Driority		
count	Number	Basin Name	Sub-Basin Name	Region	Region Office	Acres S	Sq. Mile	opulation	opula	opulation		otal	rigat	GW Use	Percent of Total Supply	GW Reli	mpacts	Other	Score			
178	7-20	MORONGO VALLEY		Colorado River	SRO	7,286	11.4	2,983	2		<u> </u>				5	0	0	0	0.0	Very Low	1	
179	9-16	EL CAJON VALLEY		South Coast	SRO	7,203	11.3	92,314	_	1	0 3.	75	1	2	1	0	5	0	0.0		High nitrates and TDS have impaired the basin for domestic use and	
1/9	9-10	EL CAJON VALLEY		South Coast	SKO	7,203	11.3	92,314	5	1	0 3.	./5	1	2	1	U	3	0	0.0	Very Low	high chlorides make the water marginal to inferior for irrigation uses	
180	7-55	COLLINS VALLEY		Colorado River	SRO	7,121	11.1	11	. 0	0	0	0	0	1	5	0	0	0	0.0	Very Low	(B-118).	
													0				0	0	0.0			
181		CACTUS FLAT		South Lahontan		7,056	11.0		0					0	0	0	U	0	0.0	Very Low		
182	7-54	BUCK RIDGE FAULT VALLEY		Colorado River	SRO	6,974	10.9	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
183	9-18	OTAY VALLEY		South Coast	SRO	6,869	10.7	39,191	4	1	0	3	1	2	1	0	5	0	0.0	Very Low	Groundwater is marginal to inferior for domestic use in the coastal	
																					plain due to high TDS content and suitable in the eastern part of the basin and is marginal to inferior for irrigation due to high chloride	
																					concentrations (B-118 & DWR 1967).	
184	3-44	POZO VALLEY		Central Coast	SRO	6,852	10.7	52	0				2	1	1	0	0	0	0.0	Very Low		
185	7-63	VANDEVENTER FLAT		Colorado River	SRO	6,787	10.6	50	0	0	0 0.	.75	0	0	5	0	0	0	0.0	Very Low		
186	3-49	MONTECITO		Central Coast	SRO	6,286	9.8	9,885	3	0	4 3.	.75	1	1	1	0	1	0	0.0	Very Low	Locally high TDS within the basin. Wells exceed Federal iron and	
187	3-17	SANTA BARBARA		Central Coast	SRO	6,173	9.6	63,966	5	0	4 3.	.75	1	2	1	0	2	0	0.0	Very Low	manganese concentrations (B-118). WQ Impacts: Saline intrusion, locally high EC, hardness, hydrogen	
188	6-89	KANE WASH AREA		South Lahontan	n SRO	5,997	9.4		0	0	0	0	0	0	0	0	0	0	0.0	Very Low	sulfides, and other constituents.(B-118)	
																	Ů					
189	9-17	SWEETWATER VALLEY		South Coast	SRO	5,949	9.3	35,277	4	1	4 3.	.75	0	2	1	0	5	0	0.0	Very Low	TDS, chloride and sodium content of the groundwater generally exceed the recommended limits for drinking (B-118, & DWR 1986).	
100	7.50	MACONIVALLEY		Calamada Dinan	CDO	5 567	0.7	22	0	0	2 0	75		4	-			0	0.0	Manulau		
190		MASON VALLEY		Colorado River		5,567	8.7	23	0	0	2 0.	./5	0	1	5	0	0	0	0.0	Very Low		
191	7-46	CANEBRAKE VALLEY		Colorado River	SRO	5,460	8.5	2	0	0	0	0	0	1	5	0	0	0	0.0	Very Low		
192		HUNGRY VALLEY		South Coast	SRO	5,324	8.3	2	0		2		_		0	0	1	0	0.0	Very Low	Water is slightly alkaline (B-118).	
193	4-3.02	VENTURA RIVER VALLEY	LOWER VENTURA RIVER	South Coast	SRO	5,312	8.3	15,920	3	1	0 2.	.25	2	1	2	0	3	0	0.0	Very Low	Oil, high sulfates, nitrates, and hydrogen sulfide are documented to be present in the basin.	
194	7-50	IRON RIDGE AREA		Colorado River	SRO	5,284	8.3	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
195	6-75	WILDROSE CANYON		South Lahontan	n SRO	5,182	8.1	1	. 0	0	2	0	0	0	5	0	0	0	0.0	Very Low		
196	6-82	SPRING CANYON VALLEY		South Lahontan	n SRO	4,832	7.5	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
197	3-//5	HUASNA VALLEY		Central Coast	SRO	4,706	7.4	55	1	0	0 0	75	2	0	1	0	0	0	0.0	Very Low		
198	4-15	TIERRA REJADA		South Coast	SRO	4,611	7.2	3,673	2	3	0 0.	.75	4	1	1	0	1	0	0.0	Very Low Very Low	Locally high nitrates documented in the basin (B-118).	
199 200		SEVEN OAKS VALLEY COTTONWOOD SPRING AREA		South Coast South Lahontan	SRO SRO	4,103 3,918	6.4 6.1		0		0				0	0	0	0	0.0	Very Low Very Low		
201		COTTONWOOD VALLEY		South Coast	SRO	3,871	6.0	44	1		4 1			0	0	0	0	1	0.0	Very Low		Basin area is listed by EPA as a "Sole Source Aquifer" in EPA Region 9.
202	4-1	UPPER OJAI VALLEY		South Coast	SRO	3,815	6.0	616	1	0	2 0.	.75	3	1	1	0	5	0	0.0	Very Low	Groundwater has been documented to contain high levels of boron, sodium chloride, high TDS, sulfate, nitrates, iron, and chlorides (B-	
202	7.64	DAVIEC VALLEY		Calara I. Di	550	2.000												_		No. 1	118)	
203		DAVIES VALLEY		Colorado River		3,600	5.6		0	0			0	0	0	0	0	0	0.0	Very Low		
204 205	9-12 9-28	SAN DIEGUITO CREEK CAMPO VALLEY		South Coast South Coast	SRO SRO	3,578 3,569	5.6 5.6		2	2	0 2				1 0	0	0	0	0.0 0.0	Very Low Very Low		Basin area is listed by EPA as a "Sole Source
																						Aguifer" in EPA Region 9.
206 207		SANTA ROSA VALLEY PIPES CANYON FAULT VALLEY		Central Coast Colorado River	SRO SRO	3,525 3,408	5.5 5.3	920 5	0		0 1				5	0	0	0	0.0 0.0	Very Low Very Low		
208		WILD HORSE MESA AREA		South Lahontan		3,337	5.2		0		0			0	0	0	0	0	0.0			
						·														Very Low		
209	6-85	GOLD VALLEY		South Lahontan	SRO	3,234	5.1	C	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
210		RANCHITA TOWN AREA		South Coast	SRO	3,146 3,123	4.9 4.9	168 17,543	1		0 5 3.				0	0	0	0	0.0	Very Low	UCCC degree and distrator area of the NACL and black wide.	
211	3-53	FOOTHILL		Central Coast	SRO	3,123	4.9	17,543	4	2	5 3.	./5	1	3	1	0	5	0	0.0	Very Low	USGS documented nitrates exceeding MCL and high sulfates in the basin. TDS is documented to be high in the basin and potential for	
212	∆ -10	THOUSAND OAKS AREA	1	South Coast	SRO	3,115	4.9	17 202	1	1	0 2	25	0	1	3	0	5	0	0.0	Very Low	saline intrusion. High TDS, alkalinity, and hardness in the basin (B-118).	
213	4-20	RUSSELL VALLEY		South Coast	SRO	3,087	4.8	18,860			0 1				1	0	3	0	0.0		TDS and sulfate exceed MCL for some wells in the basin per Bulletin	
					<u> </u>																118.	l

											Data	Comp	onent	Ranking '	Value			Ove	all Ranking		
		CASGEM Groundwater Basir Sorted by Pr		Results					ţ.	Wells			Gro	undwate	r Reliance						
		Softed by Fi	HOTTLY					ء ا	n Growth	Supply We	* <u>«</u>	Acreage	*	f ply **)ce			Overa Basin Rankir	Overall Basin	Impact Comments	Other Information Comments
Basin	Basin	Basin Name Sub-Basin Name	Hydrologic	DWR Region	Basin	Area	2010	latio	Population	c Sup	Wells	ted /	Use *	ent of Supp	Reliar	acts	_ :	Score *			
count	Number	basiii Name Sub-basiii Name	Region	Office	Acres	Sq. Mile	Population	Popu	Popu	Public	Total	Irriga	gw ı	Perce Total	GW F Total	Impa	Othe				
214	9-2	SAN MATEO VALLEY	South Coast	SRO	3,009		554	4 1	0	4	1.5	3	0	0	0	3	0	0.0	Very Low	Locally high TDS and some elevated nitrates in wells (B-118)	
215		RAFAEL VALLEY	Central Coast	SRO	2,996			0 0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
216	6-72	COLES FLAT	South Lahontan	SRO	2,961	4.6	6	0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
217	9-9	ESCONDIDO VALLEY	South Coast	SRO	2,906	4.5	38,593	3 5	1	0	3.75	1	0	1	0	2	0	0.0	Very Low	Local sources of groundwater in this basin are categorized as suitable to inferior for domestic use. The water categorized as inferior typically contains high nitrate, TDS, or sulfate content (DWR	
218	7-48	HELENDALE FAULT VALLEY	Colorado River	SRO	2,637	4.1		0	0	0	0.75	0	0	5	0	0	0	0.0	Very Low	1-10/1	
219	3-43	RINCONADA VALLEY	Central Coast	SRO	2,579	4.0	1:	1 0	0	0	0	4	1	1	0	0	0	0.0	Very Low		
220	9-13	POWAY VALLEY	South Coast	SRO	2,485		16,450	5	2	0	3.75	1	2	1	0	0	0	0.0	Very Low		
221	7-47	JACUMBA VALLEY	Colorado River	SRO	2,472	3.9	51	7 1	0	4	1.5	0	2	5	0	5	3	0.0	Very Low	According to San Diego County documents, some wells are reportingly going dry; this is a small basin with over 500 residents and no source of imported water. TDS of some groundwaters recharging the basin are high.	According to aerial imagery review, GIS, and other docs, approximately 500 acres of crops are irrigated and Bulletin 118 boundary is significantly over exaggerated (incorporating bedrock areas probably 30 percent of which are included in Bull 118 boundary)
222	4-16	HIDDEN VALLEY	South Coast	SRO	2,217	3.5	503	3 1	0	4	1.5	5	1	1	0		0	0.0	Very Low		TOURING TWO
223	9-32	SAN MARCOS AREA	South Coast	SRO	2,144		15,090	5 5	3	0	3	0	2	1	0	0	0	0.0	Very Low		
224	9-29	POTRERO VALLEY	South Coast	SRO	2,035			_	0	4	3	2	0	0	0	0	0	0.0	Very Low		
225	6-80	MIDDLE PARK CANYON	South Lahontan		1,752			0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
226		CHORRO VALLEY	Central Coast	SRO	1,547			7 1	0	3	0	5	0	0	0	0	0	0.0	Very Low		
227		PAMO VALLEY	South Coast	SRO	1,514			0 0	0	0	0	0	0	0	0	0	0	0.0	Very Low		
228		VILLA VALLEY	Central Coast	SRO	1,358			1 1	0	0	0	4	0	0	0	0	0	0.0	Very Low		
229		SAN ONOFRE VALLEY	South Coast	SRO	1,261		-, -		5	5	0.75	0	2	1	0	0	0	0.0	Very Low		
230		OLD VALLEY	Central Coast	SRO	1,179				0	_	0	2	0	0	0	0	0		Very Low		
231		SAN CARPOFORO VALLEY	Central Coast	SRO	1,054			4 0	0	0		0	0	0	0	0	0	0.0	Very Low		
232		ARROYO DE LA CRUZ VALLEY	Central Coast	SRO	1,028			1 0	0	0	0	3	0	0	0	0	0	0.0	Very Low		
233		SAN ELIJO VALLEY	South Coast	SRO	888		-/		4	0	3	1	0	0	0	5		0.0	Very Low	High TDS limits beneficial uses (B-118)	
234	9-22	BATIQUITOS LAGOON VALLEY	South Coast	SRO	745	1.2	2,109	3	5	0	1.5	1	0	0	0	4	0	0.0	Very Low	The groundwater in this basin was rated inferior for irrigation because of high chloride content and marginal for domestic use because of high sulfate and TDS concentrations (DWR 1967).	
235	3-40	TORO VALLEY	Central Coast	SRO	722	1.1		3 1	0	0	0	3	0	0	0	0	0	0.0	Very Low		
236	3-41	MORRO VALLEY	Central Coast	SRO	646	1.0	399	9 2	0	5	0	5	0	0	0	0	0	0.0	Very Low		
237	4-22	MALIBU VALLEY	South Coast	SRO	615	1.0	563	3 2	0	0	3.75	0	0	0	0	5	0	0.0	Very Low	Saline intrusion, high TDS and chlorides have been documented.	
238	3-35	SAN SIMEON VALLEY	Central Coast	SRO	560	0.9	9	9 1	0	5	0	3	5	1	0	0	0	0.0	Very Low		
239		CAYUCOS VALLEY	Central Coast		336	0.5		3 0	0	0	0	2	0	0	0	0	0	0.0	Very Low		

NOTE: * Data component values were reduced by 25% due to data confidence, prior to calculating total GW basin ranking value

^{**} Sub-fields that are used to determine the overal GW Reliance Total ((GW Use + GW %)/2)

*** Overall Basin Ranking Score = Population + Population Growth + PSW + (Total Wells x .75) + Irr Acreage + (GW Use + GW %)/2 + Impacts + Other